



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

glu

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. |
|-----------------|-------------|----------------------|---------------------|
| 09/340,514 | 06/28/99 | FARLEY | D 99877 |

IM22/0914

JAMES G O'NEILL
3151 AIRWAY AVE
SUITE K-105
COSTA MESA CA 92626-4613

EXAMINER

CINTINS, I

ART UNIT

PAPER NUMBER

1724

DATE MAILED:

09/14/00

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Office Action Summary

Application No.
09/340,514

Applicant(s)
Farley

Examiner
Ivars C. Cintins

Group Art Unit
1724



☐ Responsive to communication(s) filed on _____.

☐ This action is **FINAL**.

☐ Since this application is in condition for allowance except for formal matters, **prosecution as to the merits is closed** in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

A shortened statutory period for response to this action is set to expire 3 month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

Disposition of Claims

☒ Claim(s) 1-17 is/are pending in the application.

Of the above, claim(s) _____ is/are withdrawn from consideration.

☐ Claim(s) _____ is/are allowed.

☒ Claim(s) 1-17 is/are rejected.

☐ Claim(s) _____ is/are objected to.

☐ Claims _____ are subject to restriction or election requirement.

Application Papers

☒ See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.

☐ The drawing(s) filed on _____ is/are objected to by the Examiner.

☐ The proposed drawing correction, filed on _____ is ☐ approved ☐ disapproved.

☐ The specification is objected to by the Examiner.

☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119

☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been
☐ received.

☐ received in Application No. (Series Code/Serial Number) _____.

☐ received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

*Certified copies not received: _____.

☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Attachment(s)

☒ Notice of References Cited, PTO-892

☒ Information Disclosure Statement(s), PTO-1449, Paper No(s). 2

☐ Interview Summary, PTO-413

☒ Notice of Draftsperson's Patent Drawing Review, PTO-948

☐ Notice of Informal Patent Application, PTO-152

--- SEE OFFICE ACTION ON THE FOLLOWING PAGES ---

Art Unit: 1724

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ferguson (U.S. Patent No. 5,549,822) in view of Elkins et al (U.S. Patent No. 4,275,908). Ferguson shows a shower filter having an annular filtration chamber as recited. Accordingly, this primary reference discloses the claimed invention with the exception of the pivotable inlet, the type of spray outlet employed (claims 3, 7 and 12) and the shape of the inner walls (i.e. curved) at the upper end of the housing (claims 4, 7, 8 and 13). Elkins et al shows (see Fig. 4) a showerhead having a pivotable inlet in combination with a filter (i.e. element 24). It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the shower filter of Ferguson, with the pivotable inlet arrangement of Elkins et al, in order to enable the user to vary the spray direction of the primary reference device. Also, showerheads having a plurality of different spray settings are notoriously

Art Unit: 1724

well known, and it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ such a conventional showerhead arrangement in the device of the modified primary reference, in order to vary the spray pattern of the water in this modified primary reference device. Also, the exact shape of the upper inner walls of the modified primary reference device is not seen to materially affect the overall operation of this device, or to produce any new and unexpected result; and is therefore deemed to be an obvious matter of choice in design, insufficient to patentably distinguish the claims.

Parise et al (U.S. Patent No. 5,545,314) shows a similar shower filter having a pivotable inlet.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to I. Cintins whose telephone number is (703) 308-3840. The examiner can normally be reached on Monday through Thursday from 7:30 AM to 6:00 PM.

The fax phone numbers for this art unit are: (703) 305-3599 for "Official" faxes after Final Rejection; (703) 305-7718 for all other "Official" faxes; and (703) 305-3602 for "Draft" and other "Unofficial" faxes.

Serial Number: 09/340,514

Page 4

Art Unit: 1724

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0661.

Ivars C. Cintins
Ivars C. Cintins
Primary Examiner
Art Unit 1724

I. Cintins
September 13, 2000